

80CM 4 ZONE INDUCTION HOB

DPI7880B



- ICS (Intelligent Cooking System)
- Intelligent touch control with digit display 19
- power levels Booster 4 x independent timers
- Power tracker / Clean Lock / Recall function
- 10 safety features:
- ➤ ➤ ➤ ➤ ➤ ➤ ➤ ➤ ➤ ➤
-
-



Residual heat indicator

Small object safety

Anti overflow

Autostop® system

Keypad lock

Automatic saucepan detection

Temperature limiter

Low voltage, Connection error, Over Tension

Cooking Zones	#1 + #2	#3	#4
Position of zone	Left	Center	Front right
Size of zone (mm)	horiZonetech 400x230	280	160
Power (W)	3700	3700	2400

80CM 4 ZONE INDUCTION HOB

DPI7880B

De Dietrich 

Perfect Sensor

- There are three ways of using the perfect sensor probe
 1. View the temperature measured in the dish directly on the hob's display.
 2. Programme a temperature setpoint to be reached in the dish (Expert mode)
 3. Set the temperature thanks to the 6 cooking functions proposed.
- With the help of connected probe, the hob indicates in real time and to the nearest degree the temperature measured in your dish.
- Sensor probe detects temperature from 5°C -180°C.
- 6 Perfect Sensor functions:

- C1 -Expert mode
- C2 -Melt
- C3 -Vacuum cooking (Sous Vide)
- C4 -Warm
- C5 -Slow Cooking
- C6 -Boil

•Pairing:

- Pairing takes place only once when using the sensor for the first time or when replacing it.
- Once confirmed, sensor light will turn blue.
- Pairing only in needs to be done once.



80CM 4 ZONE INDUCTION HOB

DPI7880B



Electronic Connections •Total power

for connections: 7400W •Current:

32amps •Voltage: 220V –240V

•Frequency: 50 / 60Hz

•Length of electrical supply cord: 130cm

•Type of plug: Not applicable

Dimensions •Dimensions of overall product (mm): H60 x

W800 x D515

•Built in dimensions (mm): W745 x D490

•Fully flushed dimensions (mm): W803 x D518

•Net weight (kg): 13.6 •Gross weight (kg): 14.6


80CM 4 ZONE INDUCTION HOB

DPI7880B



Installation Diagram

Built in dimensions



Fully flushed dimensions

